

TABLE OF CONTENTS, VOLUME SIXTY-THREE

June-August 1997

On <i>Piloderma bicolor</i> and the closely related <i>P. hyssinum</i> , <i>P. croceum</i> , and <i>P. fallax</i> . Michael J. Larsen, Jane E. Smith, and Donaraye McKay	1
New species and new records of ascomycetes on stems of eucalypts from Tasmania, Australia.....	Zi Qing Yuan and C. Mohammed 9
Hygrophoraceae of Western Australia.....	N. L. Bougher and A. M. Young 25
Three new sequestrate basidiomycetes from Western Australia.....	N. L. Bougher 37
Two new species and new reports in the Parmeliaceae sensu stricto (lichenized Ascomycotina) from Brazil.....	Sionara Eliasaro and Mónica T. Adler 49
Polymorphism of vegetative propagules in <i>Punctelia punctilla</i> (Parmeliaceae, Lecanorales) and the delimitation of the species.....	Mónica T. Adler 57
A new contribution to the knowledge of the genus <i>Agaricus</i> in Chile. <i>Agaricus wrightii</i> sp. nov.	E. Valenzuela, P. Heinemann, F. Esteve-Raventós, S. Garnica, M. Polette, and W. Castells 71
Mycorrhizae of Asian black truffles, <i>Tuber himalayense</i> and <i>T. indicum</i> . O. Comandini and G. Pacioni	77
Corrigendum and indexes (fungus names, hosts and substrates) to <i>Fungi Canadenses</i> 1-330 (1973-1990).....	Michael Corlett, S. A. Redhead, and C. E. Babcock 87
<i>Endogone aurantiaca</i> , a new species in the Endogonales from Poland. Janusz Blaszkowski	131
<i>Heterotyllosporium</i> , a new genus of Ustilaginales.....	K. Ványkó 143
Tropical hyphomycetes of Mexico I. New species of <i>Hemicorynespora</i> , <i>Piricauda</i> and <i>Rhinocladium</i>	Angel Mercado Sierra, Gabriela Heredia Abarca, and Julio Mena Portales 155
Notes on conidial fungi XII. New or interesting hyphomycetes from Cuba. R. F. Castañeda Ruiz, J. Guarro, and J. Cano	169
Notes on conidial fungi. XIII. A new species of <i>Cladosporium</i> from Cuba. R. F. Castañeda Ruiz, B. Kendrick, and J. Gené	183
<i>Peronospora</i> on <i>Fragaria</i>	O. Constantinescu and G. Negrean 189
New heterobasidiomycetes from Great Britain.....	Peter Roberts 195
<i>Tuber pseudohimalayense</i> sp. nov. An Asiatic species commercialized in Spain, similar to the "Perigord" truffle.....	G. Moreno, J. L. Manjón, J. Díez, L. G. García-Montero, and G. Di Massimo 217
Mating systems in hymenomycetes: new reports and taxonomic implications. Ronald H. Petersen	225
<i>Austrocenangium</i> gen. nov. from southern South America.....	Irma J. Gamundí 261
Comparative study of cellulolytic enzyme zymograms of species of <i>Thecotheus</i> and <i>Iodophanus</i> (Pezizales-Ascomycetes).....	Alejandro G. Pardo, Andrea S. Sivori, and María E. Ranalli 269
The myxomycetes from Baja California (Mexico). I. M. Lizarraga, G. Moreno, and C. Illana	287
Contribution to the knowledge of fungi of the genus <i>Sphaerotheca</i> in Yugoslavia. Branislav Ranković and Ljiljana Comić	301
Some new species and new records of discomycetes in China. VII. Wen-ying Zhuang and Zheng Wang	307
Studies on Mediterranean hyphomycetes. VI. Remarks on <i>Bactrodesmium</i> , and <i>B. cubense</i> comb. nov.....	L. Zucconi and D. Lunghini 323

Studies on Mediterranean hyphomycetes. VII. <i>Septonema crispulum</i> anam.-sp. nov.	
Dario Lunghini and Francesco Toscano	329
New species and new combinations in the lichen family Parmeliaceae (Ascomycotina)	
from South Africa	John A. Elix 335
Nomenclatural notes on some arthroconidial yeasts.	
G. S. de Hoog, E. Guého, and M. Th. Smith	345
New species of <i>Russula</i> from California	Harry D. Thiers 349
Generic concepts within the groups of <i>Marasmius</i> and <i>Collybia</i> sensu lato.	
V. Antonín, R. E. Halling, and M. E. Noordeloos	359
New or rare hyphomycetes from Cuba VIII. Species of <i>Lylea</i> , <i>Phaeoisaria</i> , <i>Arxiella</i> , <i>Graphium</i> , <i>Periconia</i> and <i>Ramichloridium</i> .	
A. Mercado-Sierra, M. J. Figueras, and J. Gené	369
Two new bluing species of <i>Psilocybe</i> from Puerto Rico	Gastón Guzmán, Fidel Tapia, Angel M. Nieves-Rivera, and Carlos Betancourt 377
<i>Tricholoma albidulum</i> sp. nov. (Tricholomataceae, Agaricales) from Baja California, Mexico	G. Moreno, N. Ayala, and F. Esteve Raventós 383
Additions to the chemistry, ecology and distribution of <i>Peltigeramelanorrhiza</i> and <i>P. neopolydactyla</i>	Isabel Martínez and Ana Rosa Burgaz 389
Macromycetes of Baja California Sur, Mexico.	
Evangelina Pérez Silva and José Luis León de la Luz	395
Further new species in the lichen family Parmeliaceae (Ascomycotina) from Australasia.	
John A. Elix	419
Ingoldian fungi from the Catalan Pyrenees: pure culture studies	Enrique Descals 431
Annotated list of the Lophiostomataceae and Mytiliniaceae (Dothideales, Ascomycotina) reported from the Iberian Peninsula and Balearic Islands	J. Checa 467
Three new species of the Meliolaceae from Kerala, India.	
V. B. Hosagoudar, T. K. Abraham, and R. D. Goos	493
Notice: A new Book Review Editor for <i>Mycotaxon</i>	497
Notice: <i>Mycosystema</i>	499
Errata	500
Author Index	501
Index to Fungous and Lichen Taxa	504
Reviewers	516
Publication Date, Volume 62	516



ERRATA, VOLUME SIXTY-THREE

Page 225, line 11	<i>for</i> rameales	<i>read</i> ramealis
Page 262, line 8	<i>for</i> cathegory	<i>read</i> category
Page 311, line 27	<i>for</i> Maas Greet.	<i>read</i> Maas Geest.
Page 354, line 1	<i>for</i> susbellipsoid	<i>read</i> subellipsoid
Page 406, line 1	<i>for</i> (DC) Fr. Sing.	<i>read</i> (DC. : Fr.) Sing.
Page 414, line 8	<i>for</i> Phegmadium	<i>read</i> Phlegmadium

Author Index, Volume Sixty-three

- Abraham, T. K., *see* Hosagoudar & al.
- Adler, Mónica T. Polymorphism of vegetative propagules in *Punctelia punctilla* (Parmeliaceae, Lecanorales) and the delimitation of the species, **63**: 57-70. 1997.
- Adler, Mónica T., *see* Eliasaro and Adler
- Anon., Notice: A new Book Review Editor for *Mycotaxon*, **63**: 497. 1997.
- Anon., Notice: *Mycosystema*, **63**: 499. 1997.
- Antonín, V., R. E. Halling, and M. E. Noordeloos. Generic concepts within the groups of *Marasmius* and *Collybia* sensu lato, **63**: 359-368. 1997.
- Ayala, N., *see* Moreno & al.
- Babcock, C. E., *see* Corlett & al.
- Betancourt, Carlos, *see* Guzmán & al.
- Błaszowski, Janusz. *Endogone aurantiaca*, a new species in the Endogonales from Poland, **63**: 131-141. 1997.
- Bougher, N. L. Three new sequestrate basidiomycetes from Western Australia, **63**: 37-48. 1997.
- Bougher, N. L., and A. M. Young. Hygrophoraceae of Western Australia, **63**: 25-35. 1997.
- Burgaz, Ana Rosa, *see* Martínez and Burgaz
- Cano, J., *see* Castañeda Ruíz & al.
- Castañeda Ruíz, R. F., J. Guarro, and J. Cano. Notes on conidial fungi XII. New or interesting hyphomycetes from Cuba, **63**: 169-181. 1997.
- Castañeda Ruíz, R. F., B. Kendrick, and J. Gené. Notes on conidial fungi. XIII. A new species of *Cladosporium* from Cuba, **63**: 183-187. 1997.
- Castells, W., *see* Valenzuela & al.
- Checa, J. Annotated list of the Lophiostomataceae and Mytiliniidiaceae (Dothideales, Ascomycotina) reported from the Iberian Peninsula and Balearic Islands, **63**: 467-491. 1997.
- Comandini, O., and G. Pacioni. Mycorrhizae of Asian black truffles, *Tuber himalayense* and *T. indicum*, **63**: 77-86. 1997.
- Čomić, Ljiljana, *see* Ranković and Čomić
- Constantinescu, O., and G. Negrean. *Peronospora* on *Fragaria*, **63**: 189-194. 1997.
- Corlett, Michael, S. A. Redhead, and C. E. Babcock. Corrigendum and indexes (fungus names, hosts and substrates) to *Fungi Canadenses* 1-330 (1973-1990), **63**: 87-130. 1997.
- de Hoog, G. S., E. Guého, and M. Th. Smith. Nomenclatural notes on some arthroconidial yeasts, **63**: 345-347. 1997.
- Descals, Enrique. Ingoldian fungi from the Catalan Pyrenees: pure culture studies, **63**: 431-466. 1997.
- Díez, J., *see* Moreno & al.
- Di Massimo, G., *see* Moreno & al.
- Eliasaro, Sionara, and Mónica T. Adler. Two new species and new reports in the Parmeliaceae sensu stricto (lichenized Ascomycotina) from Brazil, **63**: 49-55. 1997.
- Elix, John A. Further new species in the lichen family Parmeliaceae (Ascomycotina) from Australasia, **63**: 419-430. 1997.
- Elix, John A. New species and new combinations in the lichen family Parmeliaceae (Ascomycotina) from South Africa, **63**: 335-343. 1997.
- Esteve Raventós, F., *see* Moreno & al.
- Esteve-Raventós, F., *see* Valenzuela & al.
- Figueras, M. J., *see* Mercado-Sierra & al.
- Gamundí, Irma J. *Austrocenangium* gen. nov. from southern South America, **63**: 261-268. 1997.
- García-Montero, L. G., *see* Moreno & al.
- Garnica, S., *see* Valenzuela & al.

- Gené, J., *see* Castañeda Ruíz & al.
 Gené, J., *see* Mercado-Sierra & al.
 Goos, R. D., *see* Hosagoudar & al.
 Guarro, J., *see* Castañeda Ruíz & al.
 Guého, E., *see* de Hoog & al.
 Guzmán, Gastón, Fidel Tapia, Angel M. Nieves-Rivera, and Carlos Betancourt. Two new bluing species of *Psilocybe* from Puerto Rico, **63**: 377-382. 1997.
 Halling, R. E., *see* Antonín & al.
 Heinemann, P., *see* Valenzuela & al.
 Heredia Abarca, Gabriela, *see* Mercado Sierra & al.
 Hosagoudar, V. B., T. K. Abraham, and R. D. Goos. Three new species of the Meliolaceae from Kerala, India, **63**: 493-496. 1997.
 Illana, C., *see* Lizarraga & al.
 Kendrick, B., *see* Castañeda Ruíz & al.
 Larsen, Michael J., Jane E. Smith, and Donaraye McKay. On *Piloderma bicolor* and the closely related *P. hyssinum*, *P. croceum*, and *P. fallax*, **63**: 1-8. 1997.
 León de la Luz, José Luis, *see* Pérez Silva and León de la Luz
 Lizarraga, M., G. Moreno, and C. Illana. The myxomycetes from Baja California (Mexico). I. **63**: 287-300. 1997.
 Lughini, D., *see* Zucconi and Lughini
 Lughini, Dario, and Francesco Toscano. Studies on Mediterranean hyphomycetes. VII. *Septonema crispulum* anam.-sp. nov. **63**: 329-334. 1997.
 Manjón, J. L., *see* Moreno & al.
 Martínez, Isabel, and Ana Rosa Burgaz. Additions to the chemistry, ecology and distribution of *Peltigeramelanorrhiza* and *P. neopolydactyla*, **63**: 389-394. 1997.
 McKay, Donaraye, *see* Larsen & al.
 Mena Portales, Julio, *see* Mercado Sierra & al.
 Mercado-Sierra, A., M. J. Figueras, and J. Gené. New or rare hyphomycetes from Cuba VIII. Species of *Lylea*, *Phaeoisaria*, *Arxiella*, *Graphium*, *Periconia* and *Ramichloridium*, **63**: 369-375. 1997.
 Mercado Sierra, Angel, Gabriela Heredia Abarca, and Julio Mena Portales. Tropical hyphomycetes of Mexico I. New species of *Hemicorynespora*, *Priscauda* and *Rhinocladium*, **63**: 155-167. 1997.
 Mohammed, C., *see* Yuan and Mohammed
 Moreno, G., *see* Lizarraga & al.
 Moreno, G., N. Ayala, and F. Esteve Raventós. *Tricholoma albidulum* sp. nov. (Tricholomataceae, Agaricales) from Baja California, Mexico, **63**: 383-387. 1997.
 Moreno, G., J. L. Manjón, J. Diez, L. G. García-Montero, and G. Di Massimo. *Tuber pseudohimalayense* sp. nov. An Asiatic species commercialized in Spain, similar to the "Perigord" truffle, **63**: 217-224. 1997.
 Negrean, G., *see* Constantinescu and Negrean
 Nieves-Rivera, Angel M., *see* Guzmán & al.
 Noordeloos, M. E., *see* Antonín & al.
 Pacioni, G., *see* Comandini and Pacioni
 Pardo, Alejandro G., Andrea S. Sivori, and María E. Ranalli. Comparative study of cellulolytic enzyme zymograms of species of *Thecotheus* and *Iodophanus* (Pezizales-Ascomycetes), **63**: 269-286. 1997.
 Pérez Silva, Evangelina, and José Luis León de la Luz. Macromycetes of Baja California Sur, Mexico, **63**: 395-417. 1997.
 Petersen, Ronald H. Mating systems in hymenomycetes: new reports and taxonomic implications, **63**: 225-259. 1997.
 Polette, M., *see* Valenzuela & al.
 Ranalli, María E., *see* Pardo & al.

- Ranković, Branislav, and Ljiljana Čomić. Contribution to the knowledge of fungi of the genus *Sphaerotheca* in Yugoslavia, **63**: 301-305. 1997.
- Redhead, S. A., *see* Corlett & al.
- Roberts, Peter. New heterobasidiomycetes from Great Britain, **63**: 195-216. 1997.
- Sivori, Andrea S., *see* Pardo & al.
- Smith, Jane E., *see* Larsen & al.
- Smith, M. Th., *see* de Hoog & al.
- Tapia, Fidel, *see* Guzmán & al.
- Thiers, Harry D. New species of *Russula* from California, **63**: 349-358. 1997.
- Toscano, Francesco, *see* Lunghini and Toscano
- Valenzuela, E., P. Heinemann, F. Esteve-Raventós, S. Garnica, M. Polette, and W. Castells. A new contribution to the knowledge of the genus *Agaricus* in Chile. *Agaricus wrightii* sp. nov. **63**: 71-76. 1997.
- Vánky, K. *Heterotolyposporium*, a new genus of Ustilaginales, **63**: 143-154. 1997.
- Wang, Zheng, *see* Zhuang and Wang
- Young, A. M., *see* Bougher and Young
- Yuan, Zi Qing, and C. Mohammed. New species and new records of ascomycetes on stems of eucalypts from Tasmania, Australia, **63**: 9-23. 1997.
- Zhuang, Wen-ying, and Zheng Wang. Some new species and new records of discomycetes in China. VII. **63**: 307-321. 1997.
- Zucconi, L., and D. Lunghini. Studies on Mediterranean hyphomycetes. VI. Remarks on *Bactrodesmium*, and *B. cubense* comb. nov. **63**: 323-327. 1997.

INDEX TO FUNGOUS AND LICHEN TAXA, VOLUME SIXTY-THREE

This index includes names of genera, infrageneric taxa, species, and infraspecific taxa, as well as new names of suprageneric taxa. All new names are in CAPITALS. The page number on which a new name is proposed is followed by an asterisk (*). Attention is drawn to the "Comprehensive alphabetical list of scientific names and common names in *Fungi Canadenses* 1-330" on pp. 92-130, not reindexed here.

- Acaulospora
 lacunosa 136
 Achroomyces 207, 209
 bispora 195, 208
 HENRICII 195, 200*-201
 Acremonium 447
 Actidium 488, 490
 hysterioides 488
 nitidum 488
 pulchellum 490
 Agaricus 71-72
 Subg. Agaricus 74
 Sect. Sanguinolenti 74
 "Subtribe" Vestipedes 363
 albertii 72-73
 aquosus 363
 arvensis 72
 augustus 72
 bernardii 72
 bisporus 72
 bitorquis 72
 butyraceus
 var. asemus 365
 campestris 72
 conicus 26
 confluens 364
 crocodilinus 71-73, 75
 cupreobrunneus 73
 curanilahuensis 72
 diamantanus 74
 distortus 365
 erythropus 364
 fodiens 365
 fuscopurpureus 364
 hariolorum 364
 iocephalus 364
 lentinioides 365
 lividonitidis 73
 macrosporus 72-73
 mediofuscus 72
 miniatus 27
 nebularum 72
 ocior 365
 perforans 366
 peronatus 365
 phaeocyclus
 var. pucutihuensis 72
 placomycus 72
 porphyrizon 72
 porphyrocephalus 73
 prolixus 365
 putillus 365
 silvipluvialis 74
 terginus 365
 tristis 26
 urinascens 72-73
 valdiviae 72-73, 75
 WRIGHTII 71-73*, 74-75
 xanthoderma 72, 76
 xantholepis 72
 Agroclype 239
 Alatospora 433
 acuminata 431-432
 Aleurodiscus
 croceus 2
 Alysidiopsis 183, 186
 Alysidium 183, 186
 Amanita 398
 bisporigera 406, 414
 ceciliae 406
 crocea 406
 fallax 407, 414
 flavoconia 406
 gemmata 406
 muscaria
 var. formosa 407, 414
 strobiliformis 407, 414
 vaginata 407
 valens 407
 Ameghiniella 266
 Androsaceus 359
 Anguillospora 431, 435
 crassa 433, 440
 furtiva 431, 433-434
 fustiformis 433, 440
 longissima 433, 435
 sp."1" 435-437
 sp."2" 436, 438-439
 Anthracodeia 144
 Antrodiella
 onychoides 210
 Anzia 420
 ENTINGIANA 419*-421
 jamesii 419-420
 madagascariensis 420
 Apiosporina
 morbosa 89
 Arbusculina
 moniliformis 431, 440
 Armillaria
 mellea 405
 Articulospora
 tetracladia 440
 Arxiella 369

- Ascobolus 270
 Ascophanus 270
 subfuscus 270
 Aserophallus
 cruciatus 89
 Asteridiella 494
 ANTIDERMATICOLA 493, 494*.
 495
 Athelia
 bicolor 2, 6
 byssina 5
 Auriscalpium 231
 AUSTROCENANGIUM 261, 262*-263,
 266
 AUSTRALE 261, 263*-264, 266
 NANUM 261, 263, 266*
 Bactrodesmium 323-324
 abruptum 323
 betulicola 324
 biformatum 324
 cedricola 324
 CUBENSE 323, 324*-325
 hebridense 324
 obliquum
 var. obliquum 324
 var. suttonii 324
 pithoideum 324
 pluriseptatum 324
 Badhamia 289
 aurantiaca 289
 bispora 289
 gracilis 287-288, 294, 296
 grandispora 288
 melanospora 288
 nitens 287-289
 var. AURANTIACA 287, 289*-290
 var. nitens 289-290
 rugulosa 289
 versicolor 289
 Baecyspora 359, 362
 Battarraea
 stevenii 398
 Bertia 10, 12
 ANTENNAROIDEA 9, 10*-12, 14,
 18
 convolutispora 12
 sinensis 12
 Bertrandia 25
 astatogala 27
 Boletus
 edulis 411, 414
 erythropus 411
 Bondarzewia 232
 Bulbothrix 49
 hypocraea 52
 isidiza 52-53
 ventricosa 53
 Bulgaria
 nana 266
 Calonema
 luteolum 293, 296
 Calyculosphaeria 12
 Camposporium 173
 antillanum 173
 Candida
 albicans 346
 ingens 345-346
 Canoparmelia
 ANTEDELUVIALIS 335, 340*
 Cenangium 261-262, 266
 Subg. Phaeangium 262
 australe 261, 263
 Cerrena
 unicolor 404
 Chaetocalanthus 363
 Chalara 169-170
 Cheimonophyllum 228
 candidissimum 225, 227-228
 Chionosphaera 197, 215
 apobasidialis 197
 COPPINSII 195*-196
 Chlorenchocelia
 versiformis 89
 Chloridium 375
 apiculatum 375
 Chlorosplenium
 versiforme 89
 Cilioplea 474
 coronata 474
 kansensis 474
 Cintractia
 muelleriana 148
 piluliformis 148
 Circinotrichum
 ponmudiensis 180
 Cladosporium 183, 186, 197
 coppinsii 197
 HELICOSPORUM 183*-184, 186
 Clavaria
 nigrita 316
 Clavariopsis
 aquatica 440
 Clavicornia 231
 Clavulina
 cristata 402
 Clitocybe
 olearius 250
 Coccomyces
 delta 490
 Colacogloea
 peniophorae 202, 207
 Coleroa
 plantaginis 89
 robertiani 89
 rubicola 89
 Collybia 230, 239, 359-363
 Sect. Collybia 361
 Sect. Cystidiatae 361
 Sect. Ilocephalae 361, 363
 Sect. Levipedes 361
 Sect. Maculatae 361
 Sect. Stripedes 361
 Sect. Subfumosae 230, 361
 Sect. Vestipedes 230, 361

- [Collybia] *alkalivrens* 363
alpina 363
benoistii 363
biformis 230
confluens 225, 228-230, 361
dryophila 361
dysodes 364
fagiphila 364
fusipes 361
graveolens 364
hariolorum 361
 var. *inodora* 364
impudica 361
kauffmanii 364
loiseleurietorum 364
luxurians 230
meridana 365
peronata 361
popayanica 365
putilla 361
sleumeri 365
subnuda 230
subtergina 365
syringea 361
tergina 361
tuberosa 361
turpis 366
Collybiopsis 362
Coltricia
 hamata 403
 perennis 403
Comatricha 291
 anomala 287, 291, 293
Complexipes
 moniliformis 136
Conidiosporomyces 144, 154
 ayresii 154
Coniochaeta 12
 ligniaria 12
 pulveracea 9, 11-12, 14, 18
Corticium
 Sect. *Byssina* 1
 bicolor 1-2, 4
 byssinum 5
 croceum 2
Cortinomyces 46
Crinipellis 363
Cryptococcus 199
Cryptodiaporthe 13
 aubertii 13
 CURVATA 9, 11, 12*-14, 18
 magnispora 13
 melanocraspeda 13
 salicella 13
Cryptospora 18
Cryptosporiopsis 262
Cudonia
 lutea 309
Cumminsella
 mirabilissima 91
 sanguinea 91-92
Dacrymyces 202
 bulbosa 91
Dendrospora
 polymorpha 431, 441-443
Dermatea 261
 australis 263
 tetraspora 262
Dermea 261-262, 266
 cerasi 266
Dermocybe
 cinnabarinus 410
 phoeniceus 410, 414
Diaporthe
 eucalypti 16
 eucalypticola 14
 FUSISPORA 9, 11, 14*, 16, 18
 medusaea 16
Diatrype
 disciformis 200
Dibotryon
 morbosum 89
Dictyosporium
 micronesicum 180
Didymella
 applanata 89
Didymium 291
 clavodecum 287, 291, 294
 squamulosum 291
Diposascus 345
 INGENS 345*-346
Dothichiza 266
Endogone 131-132, 137-139
 acrogena 139
 alba 138-139
 AURANTIACA 131-133*, 134, 136-139
 flammicorona 138-139
 lactiflua 138-139
 verrucosa 139
Endomelanconium 261, 263-264, 266
 nanum 266
 pini 266
Entodesmium 474, 483
 nevadense 483
 rude 474
Entoloma
 lividum 410
Episclerotium
 sclerotiorum 317
Eutypa 16
 armeniaca 16
 lata 16
 spinosa 9, 11, 14, 16
Exidia
 glandulosa 211, 213
Fenestella
 media 9, 11, 14, 16-18
Fibulostilbum 197
Filobasidiella 199
 depauperata 199
 LUTEA 195, 198*-199
Flagellospora
 curvula 443

- Flammulaster
 carpophilus
 var. rhombosporus 90
 rhombosporus 90
 Fomes
 everhartii 404
 Foveostroma 266
 Fuligo
 cinerea 287, 293, 295
 intermedia 287, 293, 295
 Ganoderma
 lobatum 404
 Geoglossum 307, 320
 alveolatum 310
 cookeianum 316
 elongatum 316
 glabrum 315-316
 var. angustosporum 316
 glutinosum 307-308, 310
 LACCATUM 307*, 320
 nigritum 316
 var. cheoanum 316
 pumilum 310-311, 316-317
 pusillum 317-318
 simile 311
 sinense 316
 subpumilum 311, 316
 umbratile 316
 var. heterosporum 311
 Geotrichum 345
 INGENS 345*
 Gerronea
 pseudogrisellum 90
 Gigaspora
 margarita 88
 Gliophorus 25, 32
 Gloiodon 232
 strigosum 225-226, 230-231
 Glomus
 deserticola 136
 Glonium
 nitidum 488
 Glyphium 488
 elatum 488
 Godfrinia
 conica 26
 Graphium 369
 putredinis 369, 374
 Gymnopus 361-363, 366
 Sect. IOCEPHALAE 363*
 Sect. VESTIPEDES 363*
 acervatus 366
 ALKALIVIRENS 363*
 ALPINUS 363*
 AQUOSUS 363*
 BENOISTII 363*
 BIFORMIS 363*
 BRASSICOLENS 363*
 CONFLUENS 364*
 CONTRARIUS 364*
 DICHROUS 364*
 dryophilus 366
 earleae 366
 ERYTHROPUS 364*
 FAGIPHILUS 364*
 FASCIATUS 364*
 FUSCOPURPUREUS 364*
 fusipes 362, 366
 GRAVEOLENS 364*
 HARIOLORUM 364*
 HYBRIDUS 364*
 IMPUDICUS 364*
 INODORUS 364*
 IOCEPHALUS 364*
 KAUFFMANII 364*
 LOISELEURIETORUM 364*
 luxurians 366
 macropus 366
 mucubajiensis 366
 NIVALIS 364*
 nubicola 366
 OCIOR 365*
 OREADOIDES 365*
 PERONATUS 365*
 POLYPHYLLUS 365*
 PUTILLUS 365*
 SEMIHIRTIPES 365*
 SPONGIOSUS 365*-366
 STRIATIPES 365*
 SUBNUDUS 365*
 subsulphureus 366
 SUBTERGINUS 365*
 TERGINUS 365*
 unakensis 366
 Gyromitra
 infula 89
 Gyrophragmium
 dunali 398, 413
 Hebeloma
 crustuliniforme 85
 cylindrosporum 85
 Helicogloea 200
 lagerheimii 205
 Helicoina 183, 186
 Heliscina 445
 antennata 431, 444-445
 campanulata 431, 445-447
 Helminthosporium
 foveolatum 372
 Helvella 398
 crispa 402
 lacunosa 402
 macropus 402
 Hemicorynespora 155, 158
 aseptata 158
 deightonii 158
 mitrata 158
 naviculiformis 158
 ROSTRATA 155, 156*-159
 Hemimycena 360
 Hericium 232
 Herpotrichia 474
 herpotrichoides 474
 juniperi 475

- [Herpotrichia] rubi 474
 Heterobasidium 232
 Heteroconium 370
 HETEROMYCOPHAGA 195, 210*, 213
 GLANDULOSAE 195, 210, 211*-213
 HETEROTOLYPOSPORIUM 143-144*, 154
 LEPIDOSPERMAE 143-144*, 146-147, 150
 PILULIFORME 143, 148*-154
 Hexagona
 hirta 404
 Hormiactella 329, 333
 fusca 333
 Hormomyces 214
 PENIOPHORAE 195, 214*-215
 Hormotheca
 plantaginis 89
 robertiani 89
 rubicola 89
 Humphreya
 coffeatum 404, 414
 Hygrocybe 25, 32
 astatogala 27
 batesii 32
 cantharellus 25
 chromolimonia 32
 coccinea 25, 31
 conica 25-28, 31
 var. conica 25, 27
 var. tierneyi 27
 f. conica 25, 27
 f. pseudoconica 26-27
 graminicolor 32
 kandora 25
 marchii 31
 miniata 28
 var. miniata 25, 27
 mollis 28
 nigrescens 26-27
 POLYCHROMA 25, 30*-32, 35
 punicea 31
 pseudoconica 26
 riparia 26
 stvensoniae 32
 strangulata 27
 tristis 26
 VISCIDIBRUNNEA 25, 31*-32, 35
 Hygrophoropsis
 aurantiaca 411
 Hygrophorus 25
 chrysodon 405
 conicus 26
 laetus 25
 miniatus 27
 nigrescens 26
 strangulatus 27
 tristis 26
 viridis 32
 Hygrotrama 25
 Hyphoderma
 Hyphodontia
 sambuci 206
 Hypochnicium
 vellereum 198-199
 Hypoderma 484
 Hypomyces
 lactiflorum 402, 414
 Hypotrachyna 49
 dentella 53
 flavida 54
 imbricatura 420, 422
 silvatica 54
 TOIANA 419, 420*-422
 Hypsizygus
 tessulatus 225, 232-233, 235
 Hysterium
 mytilinum 489
 tortile 490
 Idriella 169-170
 jambosae 170
 MYCOPHILA 169, 170*-172
 taiwanensis 170
 Inocybe 398
 calamistrata 409, 414
 cucullata 409
 descissa 409
 dulcamara 409
 geophylla 409
 Iodophanus 269-271
 carneus 269-273, 275, 277-282, 284-285
 Isthmolongispora
 minima 431, 447-448
 Isthmotricladia
 britannica 461
 Karoowia
 DIUTINA 335, 340*
 SUPPOSITA 335, 340*
 Karstenula
 ceanothi 9-10, 14, 17-18
 Keissleriella 482
 aesculi 482
 cladophila 482
 culmifida 482
 gloeospora 483
 Komposocypha 307, 312, 320
 waterstonii 312
 Laccaria
 amethystina 405
 laccata 398, 405
 maritima 92
 trullisata 92
 Lactarius 232, 402
 indigo 413-414
 Lampteromyces 250
 Leccinum
 chromapes 411
 nigrescens 411
 Lecidella
 elaeochroma 196
 Lemonniera 431
 alabamensis 449

- [Lemonniera] filiformis 431, 448-449
 terrestris 449
- Lentinellus 231, 237
 castoreus 225, 234, 236-237
 cochleatus 237
 omphaloides 237
 ursinus 237
 vulpinus 237
- Lentinula 251
- Leptosphaeria 487
 arundinacea 480
 avenaria 91
 comatella 483
 culmifida 482
 nodorum 91
 papulosa 481
 pinnarum 481
 spatharum 481
- Lophidium 475, 484
 aromaticum 483
 budleiae 484
 compressum 476
- Lophionema
 helminthosporium 484
- Lophiosphaera 475
 anaxaea 477
 camarae 484
- Lophiostoma 474-475, 484-486, 488
 alpigenum 481
 anaxaeum 477
 angustilabrum 477
 appendiculatum 475
 caudatum 475
 caulium 475, 486
 f. santolinae 476
 compressum 476, 484, 487
 demissum 484
 desmazierii 479
 duplex 480
 ericarum 485
 fuckelii 477
 insidiosum 476
 macrostomoides 477, 485
 macrostomum 475, 477, 486
 mollerianum 486
 montellicum
 ssp. vicinum 479
 niessleanum 475
 f. asteris-alpini 485
 nucula 480
 parvulum 476
 pinastri 477
 prominens 475
 quadrinucleatum 478
 var. triseptatum 478
 rhopaloides 485
 salsolae 476
 sedi 485
 semiliberum 478
 stuartii 486
 subcorticale 478
 triseptatum 478
- vagabundum 480
 vagans 486
 vicinum 479
 viridarium 479
 winteri 479
- Lophiotrema 479
 auctum 475
 bolivarii 486
 crenatum 478
 culmigragum 479
 duplex 480
 mollerianum 486
 nucula 479
 praemorsum 477
 pteridis 487
 sedi 485
 semiliberum 478
 vagabundum 480
 winteri 479
- Lophium 489
 elatum 488
 limonii 490
 mayori 489
 mytilinum 489
- Lycoperdon
 candidum 413
 perlatum
 var. perlatum 413
- Lylea 369-370, 372
 catenulata 372
- PALMICOLA 370*, 372-373
 tetracoilum 372
- Lyomyces
 byssinus 1, 5
- Lyophyllum 359
 ulmarium 360
- Lysurus
 borealis 89
 cruciatus 89
 gardneri 89
- Macowanites 37, 42
 LUTEIROSEUS 37-38*, 40-42
- Marasmiellus 239-242, 359-363
 candidus 225, 237-239, 241
 FOETIDUS 366*
 juniperinus 360
 opacus 239, 241
 PERFORANS 366*
 ramealis 225, 239-240
 stenophyllus 225, 240-241
 tenerrimus
 var. setulosus 239, 241
- Marasmius 239, 244, 359-360, 362
 Sect. Epiphylli 244
 Sect. Foetidi 360
 Sect. Gloeonemae 360
 Sect. Gloiocephala 244
 Sect. Rameales 359
 acicola 360
 anamalus 364
 biformis 363
 brassicolens 360, 363

- [*Marasmius*] *contrarius* 364
copelandi 90
dichrous 364
epiphyllus 225, 242-244
fasciatus 364
ferrugineus 405
foetidus 360
hybridus 364
impudicus 360, 364
inodorus 364
minutus 225, 244
nivalis 364
olidus 90
oreadoides 365
perforans 360
polyphyllus 365
ramealis 359
rotula 360
salalis 90
semihirtipes 365
spongiosus 365
striatipes 365
subnudus 365
tremulae 244
- Massaria*
eburnea 481
- Massarina* 480
arundinacea 480
cisti 480
corticola 480
dianthi 487
eburnea 480-481
papulosa 481
- Massariosphaeria* 481
alpigena 481
phaeospora 481
rubicunda 482
straminis 482
- Melanotus* 239
- Meliola*
GLUTAE 493, 494*-495
mangiferae 496
mapaniae 496
TIBIGIRICA 493, 495-496*
- Merulius*
foetidus 366
- Metasphaeria*
anisometra 481
culmifida 482
papulosa 481
f. limbalis 487
spatharum 481
viridarii 481
- Microcollybia* 361
- Microglossum* 317
capitatum 317
fumosum 308
longisporum 317-318
tetrasporum 317
- Micromphale* 360, 362
brassicolens 361
cauvetii 361
inodora 361
venosum 360
- Micropera* 266
- Microstoma* 307, 320
aggregatum 313
floccosum
var. floccosum 312
var. macrosporum 312
protractum 313
- Mittrula*
bicolor 317
sclerotiorum 317
shiraiana 317
- Moesziomyces* 145
- Montagnea*
arenaria 413
- Mycena*
Sect. Calodontes 247
Sect. Luculentae 247
Subsect. Granulatae 247
Subsect. Rosellae 247
aurantiomarginata 225, 245-246
rosella 225, 247-248
- Mycenastrum*
corium 398
- Mycocentrospora* 431, 435, 440, 450-452
acerina 452
clavata 440
varians 435-436
veratri 452
- Mycoglaena*
acuminans 487
- Mycosphaerella*
buxicola 487
graminicola 91
rubina 89
- Mytilinidion* 489
gemmigenum 489
limonii 490
mytilinellum 489
rhenanum 489
tortile 490
- Namakwa*
ALIPHATICA 335-336*, 337
exornata 336
- Nanoscypha* 307, 312, 320
macrospora 313
- Naohidea* 200
- Neofuscelia* 424
ADAMANTEA 335, 340*
adpicta 425-426
ARCHERI 419, 421-422*, 423
atrobarbatica 424
BRUSSEI 335, 337-338*
BULFINIANA 419, 421, 423*-424
cafferensis 426
DEPSIDELLA 419, 424*-425, 428
MANINA 335, 340*
martinii 423-424
melanobarbatica 424
OLIVETORICA 419, 425*-426, 428
PARILIS 335, 339-340*

- [Neofuscelia] peloloba 424
 pictada 424
 plana 426
 PRISTILOBA 335, 341*
 pulla 424-425
 QUINONELLA 335, 337-338*, 339
 stygiodes 338
 subloxodella 422-423
 VERNICOSA 335, 338-339, 341*
 VIOLACEA 335, 339, 341*
- Neohygrocybe 25
 Nodulosphaeria 485
 ASTERIS-ALPINI 467, 485*
- Nothomitra 308
 cinnamomea 309
 SINENSIS 307, 308*-309, 320
- Occultifur 202
 CORTICIORUM 195, 202*-203
 internus 202
- Omphalotus 250-251
 illudens 225, 247, 249-250, 252
 mexicanus 250
 nidiformis 250, 252
 olearius 250, 252, 406
 olivascens 225, 250-252
 subilludens 250
- Ophiobolus
 rudis 474
- Ostropa
 barbara 484
- Oudemansiella 359, 362
- Pachnocybe 197
- Pachycladina
 mutabilis 443
- Panaeolus
 sphinctrinus 408
- Panelus
 mitis 228
- Paraparmelia
 AGAMALIS 335, 341*
 ASILARIS 335, 341*
 DWAASBERGENSIS 335, 341*
 EREBEA 335, 341*
 FAUSTA 335, 341*
 INOPS 335, 341*
 LYRIGERA 335, 341*
 NIMBICOLA 335, 341*
 PUDENS 335, 341*
 SITIENS 335, 341*
 USITATA 335, 341*
- Paratrichoconis 169, 173
 ANTILLANA 172, 173*-174
 chinensis 173, 175
 FUSARIOIDEA 173*, 175-176
- Parmelia
 abraxas 341
 adamantea 340
 agamalis 341
 antedeluvialis 340
 asilaris 341
 assimilis 342
 chionophila 342
 dentella 53
 diutina 340
 dwaasbergensis 341
 emolumenta 342
 epacridea 342
 erebea 341
 fausta 341
 festiva 342
 glabratula 195-196
 infausta 342
 inops 341
 laevigata
 var. ceratina 53
 lucrosa 342
 lurida 342
 lyrigera 341
 manina 340
 mesmerizans 342
 musculina 342
 nimbicola 341
 oreophila 342
 parilis 340
 ponderosa 342
 pristiola 341
 pudens 341
 punctilla 64
 putida 342
 silvatica 54
 var. pinnata 54
 var. radiata 54
 sitiens 341
 supposita 340
 tyrreha 342
 usitata 341
 vernicosa 341
 violacea 341
- Parmotrema
 LICHEXANTHONICUM 49*-50
 ultralucens 49-50
- Patellaria 486
- Peltigera 389
 hymenina 389
 melanorrhiza 389-391, 393
 neopolydactyla 389, 391-393
- Peniophora 214-215
 lycii 214
- Perichaena 293
 luteola 287, 293, 296-297
 vermicularis 287
- Periconia 369, 374
 byssoides 374
 jabalpurensis 369, 374
- Peronospora 189-190, 193
 fragariae 189, 193
 potentillae 189-190, 193
 ptentillae-sterilis 193
 sparsa 189-193
- Pezicula 262
- Peziza 271
 badioconfusa 90
 phyllogena 90
 vesiculosa 402

- Phaeangium* 262
 lignicolum 262
 phaeosporum 262
 rubi 262
 tetrasporum 262
Phaeoisaria 369, 372
 clematidis 374
 sparsa 369, 374
 var. *CUBENSIS* 370, 372*-374
 var. *sparsa* 374
Phaeolus
 schweinitzii 403
Phaeomarasmius
 erinaceus 90
 rhombosporus 90
Phaeosphaeria
 avenaria 91
 nodorum 91
Phellinus 398
 ferrugineovelutinus 403
 igniarius 403
 rimosus 403
Phillipsia 307, 320
 carnicolor 314
 crispata 313, 317
 domingensis 314
 hartmannii 314
 subpurpurea 314, 317
Phlegmacium
 calochrum
 var. *coniferarum* 410
 multiformis 414
 var. *coniferarum* 410
Phomatospora 18
 dinemasporium 18
 MACROSPORA 9-10, 14, 17*-18
 punctulata 18
Phyllotopsis
 nidulans 225, 253-254
Physarum
 brunneolum 287, 296, 298
 decipiens 289
 straminipes 287, 296, 298
 viride
 var. *aurantium* 289
 var. *incanum* 289
 var. *viride* 289
Piloderma 1
 bicolor 1-2, 6
 byssinum 1-7
 croceum 1-2, 5-6
 fallax 1-3, 6-7
Diricauda 155, 160
 caribensis 160
 cochinensis 160, 162
 cubensis 160
 MEXICANA 155, 158*-159, 161-162
 paraguayensis 160
 pseudarthrac 160
 taiwanensis 160
Diricaudium
- Platystomum* 475
 bupleuri 487
 compressum 476
 var. *pseudomacrostomum* 477
 var. *septemseptata* 476
 nobile 476
Pleospora
 coronata 474
 herbarum 90
 kansensis 474
 rubicunda 482
 straminis 482
 tarda 90-91
Pleurotus 238, 251, 254
 dryinus 250
 ostreatus 250
Pluteus
 cervinus 407
Podaxon
 carcinomale 398
Protoglossum 46
Psathyrella
 candleana 408
Pseudoanguillorpora 435
Pseudobaeospora 361
Psilocybe 377-378
 Sect. *Brunneocystidiatae* 377, 379
 Sect. *Cordisporae* 377, 380
 bulbosa 91
 caerulescens 378
 coprophila 408
 cubensis 377
 GUILARTENSIS 377-378*, 380
 pleurocystidiosa 379
 plutonia 378-380
 PORTORICENSIS 377, 379*-380
 subcubensis 377
 subtropicalis 380
 yungensis 378
Puccinia
 blyttiana 91
 gibberulosa 91
 haleniae 92
Punctelia 57-58
 Subg. *Punctelia* 57
 missouriensis 57-58, 60, 62, 64, 66, 68
 perreticulata 68
 punctilla 57-58, 60, 62, 64, 66, 68
 subrudecta 58, 60, 64, 66, 68-69
Pyrenophora
 coronata 474
Ramichloridium 369-370, 375
 apiculatum 369, 375
 musae 375
Relicina 49
 abtrusa 54-55
 Retroconis 183
Rhinocladium 155, 164
 abietina 164
 coprogenum 164
 dingleyae 164

- [*Rhinocladium*] *lignicola* 164
mangenotii 164
 MEXICANUM 155, 162*-165
pulchrum 164
- Rhizina*
inflata 89
undulata 89
- Rhodocollybia* 361, 363, 366
badiialba 366
butyracea 366
 f. *ASEMA* 365*
filamentosa 366
FODIENS 365*
LENTINOIDES 365*
maculata 366
 var. *scorzonerea* 366
MERIDANA 365*
oregonensis 366
POPAYANICA 365*
PROLIXA 365*
 var. *DISTORTA* 365*
SLEUMERI 365*
subsulcatipes 366
TURPIS 366*
UNAKENSIS 366*
- Rhyarobius* 270
- Rickenella* 360
fibula 360
pseudogrisella 90
- Rimelia* 52
reticulata 52
simulans 50, 52
SUCCINRETICULATA 49-50*, 52
- Roestelia*
brucensis 90
- Russula* 42, 232, 349-350, 355, 398, 402
 Sect. *Piperinae* 356, 358
 Subsect. *Lepidinae* 356
 Subsect. *Rubinae* 358
 albidula 355
 BURGEAE 350, 354*-355
 cyanoxantha 412
 ELLENAE 350, 355*-356
 emetica 412
 GRUNDII 349*-350
 lilacea 353
 MENDOCINENSIS 350, 357*-358
 murrillii 353
 ochroleuca 412
 PACIFICA 350-351*
 paludosa 354
 PUNICEA 350, 356*, 358
 SIERRENSIS 350, 353*
 vetermosa 356
 XANTHOPORPHYREA 350, 352*
 xerampelina 351
- Saccobolus* 270
- Sampaioa* 467, 487
pinastri 487-488
- Schizostoma* 475
microsporum 488
vicinum 479
- shiraiana* 317
- Scolecobasidium*
fusarioides 173
- Scutellospora*
dipurpurens 136
- Selenosporella* 177
- Septonema* 329, 333, 370
binum 333
CRISPULUM 329*, 331-333
pseudobinum 333
- Septoria*
tritici 91
- Serendipita*
evanescens 205
- Setulipes* 362-363
- Sigmoidea*
aurantiaca 431, 453-454
- Sirotrema* 215
- Sorosporium* 145
piluliforme 143, 148
- Sowerbyella* 307, 320
fagicola 314-315
imperialis 91
unicolor 91
- Spadicoides* 169
obclavata
 var. *HETEROCOLORATA* 169,
 177*-179
 var. *obclavata* 177
- Sparassis*
crispa 404
- Spathularia*
flavida 309
- Spermospora* 452
avenae 453
ciliata 453
subulata 453
- Sphaerangium* 262
- Sphaeria*
anisometra 481
arundinacea 480
caulium 475
comatella 483
compressa 476
crenata 478
gloeospora 483
juniperi 475
macrostoma 477
macrostomoides 477
nucula 479
papulosa 481
semiliberum 478
- Sphaeronaema* 89
- Sphaeronaemella*
helvellae 89
- Sphaerotheca* 301
aphanis 301
dipsacearum 301-302
epilobii 301-302
euphorbiae 301-302
ferruginea 301-302
fugax 301, 303

- [*Sphaerotheca*] *humuli* 303
macularis 301, 304
mors-uvae 301, 304
pannosa 301, 304
plantaginis 301, 304-305
Spiculogloea 206-207
MINUTA 195, 204*-207
occulta 195, 206
Sporidesmium
abruptum 323
Sporisorium 145
Sporotrichum 2
fallax 2, 4
pulvulentum 284
Stagonospora
avenae 91
nodorum 91
Steccherinum
basi-badium 225, 254-255
Stemonitis
axifera 287
trechispora 287
Stemphylium
botryosum 90
herbarum 91
Stenoclaadiella
neglecta 431, 454
Stereum
ostrea 405
Strobilomyces
confusus 412, 414
Strobilurus 359, 362
Sropharia
semiglobata 408
Stysanus
putredinis 374
Taeniola 370
Teichospora
trabicola 485
Tephrocybe 359
Terfezia 217
Tetracladium
marchalianum 454
Thaxterogaster 37, 46
aurantiacum 46
BASIPURPUREUM 37, 43*-44, 46
LUTEIRUFESCENS 37, 44*, 46
Thecaphora 145
Thecotheus 269-271, 285
agranulosus 269, 271-273, 275-285
pelletieri 269, 271-273, 275-285
Titaella
capnophila 431, 454-457
Tolyposporium
junci 154
Tomentella
byssina 5
Torrendiella 307, 320
eucalypti 315
Trematosphaeria
corticola 480
Tremella 215
versicolor 215
Tricellula 431, 458-459
aquatica 431, 455, 458
Trichocladium 324
cubense 323-324
Trichoderma
reesei 284
Trichoglossum
cheliense 318
hirsutum 318
var. hirsutum 309
var. LATISPORUM 307, 309*, 320
var. multiseptatum 318
kunmingense 318
persoonii 318
QINGCHENGENSE 307, 309*-310, 320
rasum 309-310
sinicum 310
tetrasporum 317-318
var. brevisporum 317
yunnanense 318
Tricholoma 387
Sect. Polyphyllina 383, 386
ALBIDULUM 383, 384*-387
columbetta 386
virgineum 386-387
Trichometasphaeria 482
culmifida 482
dianthi 482-483
gloeospora 483
Trichophaeopsis 307, 320
bicuspis 315
Trichosporon 345-347
beigelii 346
glycophile 346
inkin 346
ovoides 345-347
ribeiroi 346
Tricladium 431, 459-460
angulatum 459
caudatum 460-461
curvisporum 431, 460-461
Tridentaria 431, 461-463
subulphora 463
Triscelophorus 431
acuminatus 463
monosporus 463
Tuber 217-218
aestivum 85
himalayense 77-80, 84-85, 217-218, 220, 222, 224
indicum 77, 81-85, 222
melanosporum 77, 84-85, 222
PSEUDOHIMALAYENSE 217-218*, 220
spinoreticulatum 222
Tubulicrinis
accedens 205
angustus 208
subulatus 208
Tulasnella 205-207

- [Tulasnella] saveloides 205
 violea 204-205
 Tulostoma
 mammosum 398
 obesum 398
 volvulatum
 var. volvulatum 413
 Tumularia
 tuberculata 431, 464
 Tympanis 262
 Uredo
 piluliformis 143, 148
 Uromyces
 eugentianae 92
 sanguineus 91
 Uropyxis
 sanguinea 91
 Ustilago
 muelleriana 148
 piluliformis 148
 Vararia 232
 Varicosporium
 delicatum 431, 464
 elodeae 465
 Velutaria
 rufo-olivacea 262
 Veronaea
 apiculata 375
 Verticillium 284
 Vialaea 13
 Volucrispora
 ornithomorpha 458
 Wuestneia 20-21
 beltsvillensis 21
 CAMPANULATA 9, 14, 18, 20*-21
 epispora 20-21
 eucalyptorum 20-21
 Xanthoparmelia
 ABRAXAS 335, 341*
 ASSIMILIS 335, 341*
 CHIONOPHILA 335, 342*
 CONVOLUTELLA 419, 426*-428
 EMOLUMENTA 335, 342*
 endomiltoides 339
 EPACRIDEA 335, 342*
 exillima 427, 429
 FESTIVA 335, 342*
 furcata 339-340
 incrustata 427
 INFAUSTA 335, 342*
 LUCROSA 335, 342*
 LURIDA 335, 342*
 MESMERIZANS 335, 342*
 MUSCULINA 335, 342*
 ORCHARDII 419, 427*-429
 OREOPHILA 335, 342*
 PONDEROSA 335, 342*
 PUTIDA 335, 342*
 terrestris 426
 TRIEBELIAE 335, 337, 339*-340
 TYRRHEA 335, 342*
 Xenostroma 266
 Xerula 359, 362
 Zygogloea
 gemellipara 210